

DOCKET #: 198069US-20 INV: ARMATO, III et al SHEET 1_ OF_12_



DOCKET #: 198069US-20

INV: ARMATO, III et al SHEET 2 OF 12



 DOCKET #: 198069US-20 INV: ARMATO, III et al SHEET 3 OF 12





Figure 2(a)

Apply Automated Classifier on Features of Remaining Nodule Candidates

Figure 1(h)

DOCKET #: 198069US-20 INV: ARMATO, III et al SHEET 4 OF 12






Figure 2(b)

DOCKET #: 198069US-20
INV: ARMATO, III et al
SHEET <u>5</u> OF <u>12</u>







Figure 4(a)

DOCKET #: 198069US-20 INV: ARMATO, III et al SHEET 6 OF 12








Figure 5(a)


The first of the first of the first of

DOCKET #: 198069US-20
INV: ARMATO, III et al
SHEET 7_ OF_12_



DOCKET #: 198069US-20 INV: ARMATO, III et al SHEET 8 OF 12








Figure 10




Figure 11





Figure 12(a)



Pixel Value Standard Deviation

Figure 12(b)




Figure 13

DOCKET #: 198069US-20 INV: ARMATO, III et al SHEET _11_ OF_12_




Figure 14




Figure 15